



Java Handwritten Notes

ADVANCED PROGRAMMING

Tutorial-1

- 1. Diff b/w languages
Website of Indian Railway

Lecture-1.

Introduction

JAVA

- * programming lang.
- * 1994 (Oak)
- * 1995 (JAVA) James Gosling
- * platform Independent (Byte codes)
- * OOPS concept used
- * Don't have pointers in JAVA becoz complexity less,
- Security
- * Secured lang.
- * It is simple
- * Concepts based on real life problems

* Types of Java application :- →

We can design basically 4 applications in JAVA

- * Stand Alone Applications (desktop) e.g. - Media player
- * Web Applications e.g. - Indian Railway
- * Enterprise Application e.g. - Mgmt.
↓
Java beans
- * Mobile Applications e.g. - Android

* Standalone
These are also known as desktop applications or window based application i.e. - an application we need to install on every machine such as antivirus, media players etc. Awt and Swings are used in java for creating standalone applications.

* Web
An application that runs on the server site & creates dynamic web pages is called as web app. Servlets, jsp, struts technology are used in java.

* Enterprise
An application i.e. distributed in nature such as banking app etc. In java EJB (Enterprise Java Bean) is used for creating enterprise application.

* Mobile
An application i.e. created for mobile devices currently android & JAVA & F are used to creating mobile app.

Imp What is JAVA?


JAVA is a general object oriented programming language & a ^{bcoz. of JRE} computing platform developed by "James Gosling" of Sun micro system in 1995.

Why Java?

Java is Secure



It is platform independent


Java is portable



JVM: → It is an abstract machine, it is specification that provide run time environment in which JAVA byte code can be executed.

JVM's are available almost for many hardware & SW platform i.e. java is platform independent.





* Main Features of JAVA :- →

1. Simple: → Java is simple becoz most of the concepts has been taken from C++, it is very easy to learn becoz.
 - * it does not use any header file.
 - * it eliminated the use of pointers
 - * operator overloading & virtual base classes eliminated.
2. Object Oriented: → Java is pure Object Oriented programming lang. Everything in java is an object, all programs & data resides in objects & classes.
3. Distributed: → Java has network facilities it enables multiple programmers at remote locations to work together on a single project.
4. Robust: → Java virtually eliminates the problem of memory deallocation by using garbage collection for unused object. Moreover run time errors are managed by exception

handling. Therefore, java is robust for program failures i.e. memory mgmt. mistakes & mishandled exceptional conditions.

5. ^{Imp} Platform Independent & Portable: → Most significant contribution of java over other lang. is its portability. JAVA program can be easily moved from one computer to another anywhere anytime.

This is the reason why Java has become a very popular lang. for programming on internet which interconnects d/f kinds of system worldwide.

6. Secure: → Since Java is used on internet. Security is an imp issue. Absence of pointers ensures that programs cannot gain access to memory locations.

7. Compile & Interpreted: → Generally comp. lang. are either compiled or interpreted but JAVA combines both compiler & Interpreter.

8. Multithreading: → JAVA was design to meet the real world environments of creating interactive, network programs to accomplish this. JAVA supports multithreaded programming which allows u to write programs that do so many things simultaneously.

Reusability: → is an aspect of OOP paradigm
JAVA supports this concept i.e. JAVA classes can
be reused in several ways.

It is always nice if we could use
something that already exist rather than
creating the same thing all over again.

4. The inheritance allows sub class to inherit all the
variables & methods of their parent class.

Inheritance may take d/f forms

- 1) Single inheritance (only one super class)
- 2) Multilevel inheritance (derived from derived class)
- 3) Multiple inheritance (several super classes)
- 4) Hierarchical (one super class & many sub classes)


There is no multiple inheritance in the JAVA but
we can implement multiple inheritance through
interfaces.

5. Polymorphism: →

↓ forms/behaviour
many

It is a greek word poly & morphism i.e.
same interface acting differently w/d d/f
inputs.

Polymorphism Ex-



It is a mechanism by which some interface
is use for general class of action but
depending upon d d/f inputs d/f outputs

are retrieve
(Same interface acting differently w/d
d/f inputs)

3. Encapsulation: →
It is a mechanism by which data members i.e. member function & variables are enclosed into a single entity called class to protect from outside world for any interference.
Ex- Mobile phone having d/f features combine in one, class having Students combine in one become CSE

Imp
6. D/f b/w Data Abstraction & Data Hiding

1. In Data Abstraction
it is all about
hiding complexity

1. In Data Hiding
it is all about
providing security
to data.

2. It means no need
to show how comple-
-cated steps u have
perform to do a
particular operation

2. It is making inaccess-
-ible certain details
i.e. just hiding the
data so that it is
not exposed.

It's a philosophical
concept bc almost
everything a good

developer writes in abstraction

Ex- Just to hide the complexity as such & in

Data hiding U are hiding just to keep ur data safe as it may affect the other data.

D.A

Exi- Working of an engine

Exi- D.H.

passwords, college data i.e. It is available to authorised members not to everyone.

* Diff b/w C++ & JAVA

C++

JAVA

1. C++ is basically C with extended Object Oriented extension.

1. Java is purely OOP lang.

2. It implements the concepts of multiple inheritance

2. Java does not support multiple inheritance of classes.

3. In C++ we use pointers.

3. There is no use of pointers.

C++

4. In C++ we have destructor

4. Java replaced destructor (i.e. with finalized) method.

5. In C++ we use header files.

5. There is no use of header files in Java

6. There is Operator Overloading in C++.

6. There is no Operator Overloading in Java.

7. In C++ we use global variable.

7. In Java there is no use of global variable.

8. In C++ ^{there is a concept} we have of template classes.

8. It does not have template classes as in C++.

27/8

* 2 Mark

Data Types in Java.

Primitive (defined by language)

Non-primitive (Defined by the user)

Character (2B) 16 bits

Numeric

Non-numeric

Boolean (1B)

- class
- Array
- string
- Interface

Integral

Non-integral

Byte (1B)

Short (2B)

Int (4B)

Long (8B)

Float (4B)

Double (8B)

(Short - Big)

* Type Conversion

- * In some case it might want 2 assign value of one data type to variable of another type
- * If both d source & destination types r compatible then JAVA performs d conversion.

* JAVA automatic conversion

JAVA automatically converts one type to another only when d following 2 conditions r satisfied.

1. Both types r compatible wid each other.
2. Size of destination type is more than the source type.

When d ~~size~~ above two conditions r satisfied then Java performs "implicit conversion." It is also known as "widening conversion"

* Type casting "Narrowing" (Big - Short)

If we want to convert two types which r incompatible size of destination type is less than the size of source type, then d conversion is done "explicitly". This process is known as Type casting. Ex - If we want to convert integer value through byte value Java cannot do this automatically As d size of int is.

Double → float → int → long → Byte int i;
Byte = (destination type) i.float(i)

a = 15 b = 5 c = 10

if (a > b)
 A
 else
 B

15 10 if
 (a > b ? a : b)

? : equivalent
 to if else
 statement

(a > b ? (a > c ? a : c) : (b > c ? b : c))

1/9

int num = 5
Integer num = new Integer(5);
 float
 Double
 Instance of class

*

Object

It is a thing through which we can interact we can send messages to objects it is a physical entity
 Every object has its own state, behaviour & Identity.

State

Object

*

State
 (Value)

Behaviour
 (functionality)

Identity
 (Reference)

*

what object has

what object can perform

to identify the object

*

It is defined by the value that variable contains

It is defined by the func. of class

we can identify an object by its name.

* class

It is a user defined data type which is a collection of objects.

- It contains member variables & member func.
- Values are assign to objects & to variables. It acts as a template for objects.

3/9 # Types of Variables in JAVA

3 types of Variables in JAVA

1. local
2. Instance
3. Static

* Variables that will be declare inside any func. that will be known as local variables.

* Variables declare outside any func. that will be known as Instance variables.

* Variables declare outside any func. with a keyword static is known as static variables.

class Cse

{

public static void main (String arg [])

{

int num1 = 5, num2 = 10, sum = 0

sum = num1 + num2

System.out.println ("sum is" + sum);

} }

Ex

```
class Cse
```

```
{
    public static void main(String arg[])
```

Command line arguments

```
{
    int num1, num2; Double num3
    num1 = Integer.parseInt(arg[0]);
```

ref class

```
    num2 = Integer.parseInt(arg[1]);
    num3 = Double.parseDouble(arg[2]);
    int sum = num1 + num2;
```

parsing of arg[0]

num2 = Integer.parseInt(arg[1]);

num3 = Double.parseDouble(arg[2]);

int sum = num1 + num2;

Compile
Run

javac Cse.java

java Cse 5 10 10.56

Sum is 15

5/9

Example Create an object of the class

class Rectangle (filename - Rectangle.java)

```
{
    int length, breadth;
```

```
    Rectangle ()
```

```
    {
        length = 10;
```

```
        breadth = 20;
```

```
    }
```

```
    void area ()
```

```
    {
        int area = length * breadth;
```

```
class RectangleMain
```

```
{
```

```
    psum (String arg[])
```



```
{  
    Rectangle obj = new Rectangle ();  
    obj.area ();  
}
```

15/9 How to create a simple class.

class Area

```
{  
    int length, breadth; int area;  
    void area ()  
    {  
        length = 10;  
        breadth = 20;  
        area = length * breadth;  
    }  
}
```

class AreaMain

```
{  
    psvm (String arg [])  
    Area obj = new Area (), // object created  
    obj.length = 10;  
    obj.breadth = 20;  
    int area = obj.length * obj.length * breadth;  
    obj.area.  
    s.o.pln ("Area is" + obj.area);  
}
```

How to create constructor

class Area

```
{  
    int length, breadth, int area;  
    Area ()  
    {  
        length = 10;  
    }  
}
```

```
    breadth = 20;
}
```

```
class AreaMain
{
```

```
    psum()
    Area obj = new Area();
```

How to pass parameters in the fnc.
class Area.

Ex

```
{
    int length, breadth, int area;
    void area (int l, int b)
}
```

```
    length = l;
    breadth = b;
```

```
}
```

```
class AreaMain
{
```

```
    psum()
    Area obj = new Area();
    obj.area (10, 20);
```

This keyword is used when any ambiguity is exist b/w the local & instance variable.

```
class Area.
```

```
{
    int length, breadth, int area; instance variable
    void area (int length, int breadth)
```

In

```
{
    this.length = length;
```


this.breadth = breadth;

}

class Area Main

{

psum ()

Area obj = new Area (); obj created

obj.area (10, 20); call obj

obj.area =

* This Keyword

It is a special keyword in JAVA which is used to refer to the current ^{object or} instance variable of any particular class.

If there is any ambiguity b/w the instance variable & the parameters pass, this keyword is used to resolve the ambiguity.

* Method Overloading

Same func. name but
a/d parameters.

{

int length, breadth, int area;

void area (int l, int b)

{

length = 10;
breadth = 20;

area = length * breadth
S.O pln ("Rectangle:" area);

```
}  
void area (int l, int b) // square.  
{  
    area = lengths * lengths;  
}
```

Ex class Area Main
{
 psum ()
 Area obj = new Area ();
 obj.area (); // Rectangle
 obj.area (); // Square.

Ex class Employee
{
 int id;
 String name, address;
 double salary.

Employee (int i, String n, String a, double s)
{
 id = i;
 name = n;
 address = a;
 salary = s;

}

void display()

Class Employee Main

{

p sum

{

Employee obj1 = new Employee

101, "Loyal", "#123", 50,000);

Employee obj2 = new Employee

110, "Pia", "#23", 25,000);

obj1 display();

Q. Write a program to calculate factorial of the no. using recursion.

Q. fibonacci series.

* Inheritance

Ex class parent

{

int num1 = 10;

}

Class child extends parent


{

int num2


num2 = num1 + 10;

}

Single



Multiple





**THANK
YOU**